


DELTA

The Strongest Battery Generator





DELTA

The New Standard Of
Battery-Powered Generator



Recharge 0 to 80% Within One Hour.
Meets Standard Of Any Wall Outlet.
Universal Solar Input.
Can Even Charge An Electric Vehicle.

The Problems of **Gasoline Generators**



“Stale fuel is the No.1 cause of generator starting problems. Manufacturers advise adding fuel stabilizer to the gas to minimize fuel breakdown, varnish and gum buildup.”

————— Family-Handyman

“Carbon monoxide poisoning sends more than 20,000 people to the emergency room each year.”

————— Institute of Standards and Technology

Why You Need A Battery Powered Generator

Lightweight & Compact

Compared to gasoline generators, battery generators are more compact and lightweight.

Safely Use indoors

Gasoline generators are loud and emit carbon monoxide, which causes more than 500 deaths annually. During power outages or home recreational activities, you can safely use DELTA indoors.

Save Time & Money

Maintaining a gasoline generator is expensive and time consuming - typically maintained semi-annually at a cost of \$150 per year. Battery-powered generators require no maintenance.



The New Standard of Battery-Powered Generator

No Gas / No Noise / No Emissions



Recharge from 0
to 80% in 60 min



Lifetime Battery
Warranty



Up to Six 1800W
AC Wall Outlets



Universal Solar
Input



Rigid Structural
Design




Protective Safety
Measures

1 Hour 0 to 80%

The Fastest Recharge Rate

For the past two years we've dedicated our time and energy into creating the X-Stream Recharge Technology. This technology provides the fastest recharge rate on the market, working 10x times faster than competing brands of battery-powered generators. This allows DELTA to be fully recharged in under two hours using any regular wall outlet.





400W

Max Solar Input

In perfect sunlight and 400W of solar panels, DELTA can be fully recharged in just four hours.



130W

Max Car Charge Input

DELTA can be fully recharged in just 10 hours.



Power Your Life



Phone

1.8Ah-3.3Ah

90-140 Times



Fruit Squeezer

150 W

7-9 Hours



Light

10W

36+ Hours



Refrigerator or Freezer

150W(1200W)

10-20 Hours



Dishwasher (Cool Dry)

216W(540W)

4.6-9 Hours



Home Printer

400W

2.5-5 Hours



Toaster

680(1200W)

80-90 Times



Coffee Maker (4 cup)

600W

50-60 Cups



Iron

800W(1200W)

1.2-3.3 Hours



Microwave Oven

1300W

0.8-2 Hours



Electric Fry Pan

1500W

0.7-1.5 Hours



CPAP

40W

18-22 Hours



Fan
40W(120W)
24-36 Hours



Laptop
60/150W
23+ Times



Slow Cooker
170W
5.8+ Hours



Television Flat Screen
120W
8+Hours



DJ Player
350W
4+ Hours



Blender
400W(850W)
2.5-3 Hours



Drone
60W
16-23 Times



Microwave Oven(650 watts)
1000W
1-1.8Hours



Electric Grill
1650W
0.6+Hours



Hair Dryer (1600 watts)
1600W(1900W)
0.6-3.3 Hours



Window Air Conditioner
1500W(2200W)
0.6-3.3 Hours



Electric Vehicle(16A)
1800W
5-8 Km **3-5** Miles



Power Your Work



Drain Cleaner

250W

4-5 Hours



Drills 3/8 inch, 4 amps

900W

1.1-2.2 Hours



High-pressure Washer (1 hp)

1200W(3200W)

0.8+ Hours



Concrete Vibrator

840W

1.2-2.4 Hours



Rotary Hammer

1080W

1-2 Hours



Demolition Hammer

1260W

0.8-1.6 Hours



Bench Grinder

1400W(2500W)

0.7-1.4 Hours



Circular Saw

1400W(2300W)

0.7-1.4 Hours



Split Phase 1/8 Horsepower

275W(1200W)


3.6-7.2 Hours



Fan Duty 1/4 Horsepower

650W(1200W)

1.5-3 Hours



Air Compressor (1 HP)

975W(1600W)

1+ Hours



Television Flat Screen

1100W

0.9-1.8 Hours

1800W AC Output

DELTA can charge anything in your household, ranging from your light to your power tools in your workshop. It can even charge your electric vehicle in case of emergency!



Meets The Standard Of Any Wall Outlet

Always Feel Right At Home


2x 28W Fast Charge

2x 12W Fast Charge

2x 60W USB-C

DC ON/OFF


DC ON/OFF



13 Devices

Powered Simultaneously

DELTA is built to give you peace of mind. Bring DELTA to any party or into your living room and power up to 13 devices simultaneously. DELTA's system includes four regular USB ports, two 60-watt USB-C ports plus four wall outlets on the International edition and six wall outlets on the American edition. DELTA meets the standard of any wall outlet so you'll always feel right at home.



1260Wh Capacity

With DELTA, you're prepared for any emergency. It's safe, easy to use, and gasoline-free. Run fridges, lights, medical devices, and other essentials, all with the flip of a switch.





A power outage doesn't have to spell emergency for families who rely on medical devices, such as a CPAP machine or a medical fridge. With DELTA, you're always well prepared for the unexpected.



Compatible With Any Solar Installation

Universal Solar Input

Harness the power of the sun by recharging DELTA with solar. Power everything you need to live life off the grid or back up your home in an emergency with a portable solar panel.

DELTA is compatible with any solar panels on the market. In perfect sunlight and 400W of solar panels, DELTA can be fully recharged in just four hours. DELTA is even able to be hooked up to an already existing solar roof installation.

Aerospace-grade Aluminum and High-strength Steel

Rugged As Any Tool In The Shed



Rigid structure

DELTA was strategically designed to have a low, solid center of gravity, mitigating rollover risk. In addition, it is made with aerospace-grade aluminum and high-strength steel to achieve maximum strength and durability.

EcoFlow's Patented X-STREAM Charge Technology



The Power Management System converts DC to AC, and AC to DC in the most efficient way, allowing you to charge DELTA fully in just two hours. It has protective measures in place, which extends the power surge up to 3300W and prevents overload.

EcoFlow's Battery Management System



Inside DELTA, there are 140 lithium-ion battery cells. To extend the performance, life-cycle and shelf-life of DELTA, we've developed our own proprietary Battery Management System. The Battery Management System regulates all the lithium-ion batteries inside DELTA and takes care of the batteries health individually using AI algorithms.

Uninterruptible Power Supply (UPS)



In case of an outage, the UPS feature comes in handy. When DELTA detects a power failure, it automatically kicks into gear, which allows a computer or any of your most sensitive utilities that you can't afford to lose to keep running.


Chainable for Capacity

DELTA can be chained to expand capacity. In order to expand DELTA capacity, all the DELTA should be full battery.

Air Conditioner 5000 BTU


0.8-3.3 Hours


Running Time



1.6-6.6 Hours

Running Time





2 Years

Battery Warranty

Carefree After Sales Service

DELTA Spec Sheet



DELTA 1000

DELTA 1300

Capacity	1008Wh (50.4V)	1260Wh (50.4V)
Dimension	15.7 x 8.3 x 10.6in (40 x 21 x 27cm)	15.7 x 8.3 x 10.6in (40 x 21 x 27cm)
Net Weight	30.9lbs (14kg)	30.9lbs (14kg)
Charge Temperature	32-113°F (0-45°C)	32-113°F (0-45°C)
Discharge Temperature	-4-113°F (-20-45°C)	-4-113°F (-20-45°C)
Testing and Certifications	UL CE FCC RoHS PSE	UL CE FCC RoHS PSE
Input	AC Charge Input Power X-STREAM Charge 1200W max	AC Charge Input Power X-STREAM Charge 1200W max
	AC Charge Input Voltage 100-120Vac (50Hz/60Hz) (Int'l Version 220-240V)	AC Charge Input Voltage 100-120Vac (50Hz/60Hz) (Int'l Version 220-240V)
	Solar Charge Input 400W 10-65V DC 10A max	Solar Charge Input 400W 10-65V DC 10A max
	Car Charge Input 12V/24V DC 10A max	Car Charge Input 12V/24V DC 10A max

DELTA Spec Sheet



Output

AC Output (x6)

Full Sine Wave

1600W (Surge 3100W)
total, 120V(60Hz)
(Int'l Version ACx4
230V 50Hz)

USB-A Output (x2)

12W per port, 5V DC, 2.4A

USB-A Fast Charge (x2)

28W per port, 5V DC, 9V DC,
12V DC, 2.4A max

USB-C Output (x2)

60W per port, 5V DC, 9V DC,
12V DC, 20V DC, 3A max

Car Power Output (x1)

136W, 13.6VDC, 10A max

AC Output (x6)

Full Sine Wave

1800W (Surge 3300W)
total, 120V(60Hz)
(Int'l Version ACx4
230V 50Hz)

USB-A Output (x2)

12W per port, 5V, 2.4A max

USB-A Fast Charge (x2)

28W per port, 5V DC, 9V DC,
12V DC, 2.4A max

USB-C Output (x2)

60W per port, 5V DC, 9V DC,
12V DC, 20V DC, 3A max

Car Power Output (x1)

136W, 13.6VDC, 10A max

Cell Chemistry

Lithium-ion

Lithium-ion

Cell Type

18650

18650

Shelf Life

1 Year (after fully charged)

1 Year (after fully charged)

Life Span

800 Cycles (60%)

800 Cycles (60%)

DELTA 1000 VS Competition

DELTA Cutting-Edge Portable Power



	DELTA 1000	YETI 1000	Honda 1000i
Type	Lithium-ion	Lithium-ion	Gas
Charging Time	1.7 hours	18 hours	--
Capacity	1008Wh (50.4V)	1045Wh	--
AC Output (Watts)	1600W (Surge 3100W)	1500W (Surge 3000W)	900W (Surge 1000W)
Shelf Life	12 Months	3-6 Months	--
Ports	6 AC outlets 2 USB-C PD, 4 USB	2 AC outlets, 4 USB	2 AC outlets
Weight	30 lbs	40 lbs	28.7 lbs (dry weight)
Can Use Indoors	✓	✓	✗
No Bulky Adapter	✓	✗	✓
Clean, Quite & Fume-free	✓	✓	✗
Annual Maintenance Cost	\$0	\$0	\$100-\$150
Price	\$1199	\$1,099	\$959

DELTA 1300 VS Competition

DELTA Cutting-Edge Portable Power



	DELTA 1300	YETI 1400	Honda 2200i
Type	Lithium-ion	Lithium-ion	Gas
Charging Time	1.7 hours	25 hours	--
Capacity	1260Wh (50.4V)	1425Wh	--
AC Output (Watts)	1800W (Surge 3300W)	1500W (Surge 3000W)	1800W (Surge 2200W)
Shelf Life	12 Months	3-6 Months	--
Ports	6 AC outlets 2 USB-C PD, 4 USB	2 AC outlets, 2 USB-C PD, 2 USB	2 AC outlets
Weight	30 lbs	43 lbs	47 lbs (dry weight)
Can Use Indoors	✓	✓	✗
No Bulky Adapter	✓	✗	✓
Clean, Quite & Fume-free	✓	✓	✗
Annual Maintenance Cost	\$0	\$0	\$100-\$150
Price	\$1399	\$1,799	\$1,159

110W Solar Panel Comparison

	EcoFlow 110W	Goal Zero 100W
Rated Power	110W	100W
Actual Measured Power	75-80W	45-50W
Cell Type	Monocrystalline	Monocrystalline
Dimensions (Unfolded)	20.5X62.2X0.8 in 52X158X2 cm	20.5X59.5X1 in 52X151.1X2.54 cm
Dimensions (Folded)	20.5X17X0.8 in 52X43X2 cm	20.5X15.4X1 in 52X39X2.54 cm
Weight	3.5kg	4.8kg
Solar Port	MC4	MC4/DC
IP Level	IP67	IP54
With Kickstand	✓	✗
Price	\$449	\$499

